Industrieweg 18-9 3846 BD Harderwijk (NL)

Tel.: +31 - 341 - 41 49 93

www.spita.eu

VAT nr.: NL-8590.76.404.B01 Chamber of Commerce: 72334738 IBAN nr.: NL39 RABO 0332 4765 53

MATERIAL SAFETY DATA SHEET SPITA ResQ-tape Putty

SECTION 1. CHEMICAL PRODUCT & COMPANY INFORMATION

Product Name:	SPITA ResQ-tape Putty
	(Silicone moldable putty)
Chemical Family:	Silicone
Supplier's Name:	SPITA Smart Products B.V.
Address:	Industrieweg 18-9
	3846 BD Harderwijk
	The Netherlands
Telephone No.:	+31 341 414 993
Recommended Use:	Moldable putty for filling gaps
Uses advised against:	No information available

NEPA-704 Hazard Rating:	Health
4 – Extreme	1
3 – High	Fire
2 – Moderate	1
1 – Slight	Reactivity
0 – Minimal	0
*- Chronic Health Hazard	
(See Section V)	
(See Section V)	

SECTION 2. HAZARD(S) IDENTIFICATION

Classification:

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (CFR Title 29 1910.1200)

GHS label elements, including precautionary statements:

	EMERGENCY OVERVIEW
Hazard Statement	The article contains a substance which is suspected of
	hazardous to health.
Suspected of	
causing cancer	
Appearance: Pr	utty like Physical State: Solid Odor: Slight
ecautionary statements – Prevent	tion: Obtain special instructions before use. Do NOT HANDLE
	until all safety precautions have been read and understood.
	Use personal protective equipment as required.
ecautionary statements – Respon	se: If exposed or concerned: Get medical advice/attention.
ecautionary statements - Storage	Store securely in a locked cool and dry place away from sourc of heat.
agentioners statements Disnos	
ecautionary statements – Disposa	
zards not otherwise classified (H	
known toxicity:	76,96% of the mixture consists of ingredient(s) of unknown to
her information:	No information available.
eractions with other chemicals:	No information available.

Our General Terms of Sales are applicable on all offers, contracts and related agreements. Registered with number 723347389 at Chamber of Commerce on August 20th, 2018.



DATE 01-01-2022

SPITA Self-fusing silicone tape

Industrieweg 18-9 3846 BD Harderwijk (NL)

Tel.: +31 - 341 - 41 49 93

www.spita.eu

VAT nr.: NL-8590.76.404.B01 Chamber of Commerce: 72334738 IBAN nr.: NL39 RABO 0332 4765 53

SECTION 3. EXACT COMPOSITION / INFORMATION ON INGREDIENTS

Chemical characterization:

Material	Cas No.:	Weight %*
Silica	7631-86-9	10-30
Amorphous Silica	7631-86-9	< 70
Carbon	1333-86-4	< 1

*The exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4. FIRST-AID MEASURES

Eye contact:	Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist,
	call a physician.
Skin contact:	Wash with soap and water.
Inhalation:	Remove to fresh air.
Ingestion:	Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an
	unconscious person.

Most important symptoms and effects, both acute and declared: No information available. Indication of any immediate medical attention and special treatment needed: Notes to physician: Treat symptomatically

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media in case of fire:	Use a carbon dioxide or dry chemical extinguisher to extinguish as well as media which are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media:	CAUTION : Use of water spray when fighting fire may be insufficient.
Specific hazards arising from the chemical:	No information available.
Hazardous combustion products:	Carbon oxides.
Explosion data:	
Sensitivity to mechanical impact:	NO
Sensitivity to static discharge:	NO
Protective equipment and precaution	
measures for firefighters:	As in any fire, wear self-contained breathing apparatus pressure- demand, MSHA/NIOSH (approved or equivalent) and full body protective gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions:	Avoid contact with the eyes.
Other information:	Refer to protective measures listed in Sections 7 & 8.
Environmental precautions:	Refer to protective measures listed in Sections 7 & 8.
Methods for containment and cleaning up:	Prevent further spillage if safe to do so and transfer to properly labeled containers.

Our General Terms of Sales are applicable on all offers, contracts and related agreements. Registered with number 723347389 at Chamber of Commerce on August 20th, 2018.





Industrieweg 18-9 3846 BD Harderwijk (NL)

Tel.: +31 - 341 - 41 49 93

www.spita.eu

VAT nr.: NL-8590.76.404.B01 Chamber of Commerce: 72334738 IBAN nr.: NL39 RABO 0332 4765 53

SECTION 7. HANDLING AND STORAGE

Handling:

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

Storage: Incompatible products:

Store securely in a tightly closed container in a cool and dry place. No special storage requirements.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure guidelines Chemical name ACGIH TLV **OSHA PEL NIOSH IDLH** Silica TWA: 20 mppcf IDLH: 3000 mg/m³ 7631-86-9 80/% SiO₂) mg/m³ TWA TWA: 6 mg/m³ IDL H: 1750 mg/m³ Carbon TWA: 3 mg/m³ TWA: 3,5 mg/m³ TWA: 3,5 mg/m³ 1333-86-4 inhalable fraction (vacated) TWA: 3,5 mg/m³ TWA: 0,1 mg/m³ polycyclic Aromatic hydrocarbons PAH ACGIH TLV: American Conference of Governmental Industrial Hygienists – Threshold Limit Value **OSHA PEL :** Occupational Safety and Health Administration – Permissible Exposure Limits (immediately dangerous to life or health) NIOSH IDLH: National Institute for Occupational Health & Safety - Immediately Dangerous to Life or Health. **Appropriate engineering controls** Engineering measures: Showers, eyewash stations, ventilation systems. **Individual protection measures** Eye / face protection: No special protective equipment required. Skin / body protection: Wear protective gloves and protective clothing. Respiratory protection: No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. Handle in accordance with good industrial hygiene and safety Hygiene measures: practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

SECTION 9: PHYSICAL & CHEMICAL PROPERTIES

Physical state:	Solid	Odor:	Slight
Appearance:	Moldable putty	Odor threshold:	No information available
Melting/freezing point:	No data available	pH:	No data available
Flash point:	No data available	Boiling point / range:	No data available
Flammability:	No data available	Evaporation rate:	No data available
Vapor pressure:	No data available	Upper flammability limit	No data available
Vapor density:	No data available	Lower flammability limit	No data available
Specific gravity:	1,15	Water solubility:	No data available

Our General Terms of Sales are applicable on all offers, contracts and related agreements. Registered with number 723347389 at Chamber of Commerce on August 20th, 2018.





Industrieweg 18-9 3846 BD Harderwijk (NL)

Tel.: +31 - 341 - 41 49 93

www.spita.eu

VAT nr.: NL-8590.76.404.B01 Chamber of Commerce: 72334738 IBAN nr.: NL39 RABO 0332 4765 53

No data available

Solubility in other solvents: Auto ignition temperature: Kinematic viscosity: Explosive properties: Softening point: Particle Size Color: No data available Black, Grey

Partition coefficient: Decomposition temperature: Dynamic viscosity: Oxidizing properties: VOC content (%): Particle size distribution:

SECTION 10. STABILITY & REACTIVITY

Reactivity:	Considered non-reactive.
Chemical stability:	Stable under recommended storage conditions.
Possibility of hazardous reactions:	None under normal processing.
Hazardous polymerization:	Hazardous polymerization does not occur.
Conditions to avoid:	None known based on information supplies.
Incompatible materials:	None known based on information supplies.
Hazardous decomposition products:	Carbon oxides.

SECTION 11. TOXICOLOGICAL INFORMATION

Product information:

Inhalation:	Specific test data for the substance or mixture is not available.
Eye contact:	Specific test data for the substance or mixture is not available.
Skin contact:	Specific test data for the substance or mixture is not available.
Ingestion:	Specific test data for the substance or mixture is not available.

Component information:

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Silica 7631-86-9	>5000 mg/kg	>2000 mg/kg	>2,2 mg/l
Carbon 1333-86-4	>15400 mg/kg	>3 g/kg	

Information on toxicological effects:

Symptoms:	No information available.
Sensitization:	No information available.
Mutagenic effects:	No information available.
Carcinogenicity:	The table below indicates whether each agency has listed any
	ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Silica		Group 3		
7631-86-9				
Carbon	A3	Group 2B		Х
1333-86-4		-		

ACGIH: American Conference of Governmental Industrial Hygienists

A3 = Animal Carcinogen

IARC: International Agency for Research on Cancer

Group 2B = Possibly carcinogenic to humans

Our General Terms of Sales are applicable on all offers, contracts and related agreements. Registered with number 723347389 at Chamber of Commerce on August 20th, 2018.







Industrieweg 18-9 3846 BD Harderwijk (NL)

Tel.: +31 - 341 - 41 49 93

www.spita.eu

VAT nr.: NL-8590.76.404.B01 Chamber of Commerce: 72334738 IBAN nr.: NL39 RABO 0332 4765 53

Group 3 = Not classifiable as to carcinogenicity in humans OSHA: Occupational Safety and Health Administration X = Present

No information available.
No information available.
No information available.
No known effect based on information supplied. Contains a known or
Suspected carcinogen. The used carbon has been classified by the IARC
(International Agency for Research on Cancer) as possibly carcinogenic
to humans (group 2B) by inhalation.
Respiratory system; eyes; skin; gastrointestinal tract.
No information available.

Numerical measures of toxicity product information:

The following values are calculated based on chapter 3.1 of the GHS document: NOT applicable

SECTION 12. ECOLOGICAL INFORMATION

Eco toxicity

The environmental impact of this product has not been fully investigated.

Chemical	Toxicity to algae	Toxicity to fish	Toxicity to	Daphnia Magna (water
name			microorganism	flea)
Silica 7631-86-9	72h EC50 = 440 mg/L	96h LC50 = 5000 mg/L		48h EC50 = 7600 mg/L
Carbon 1333-86-4				24h EC50 = 5600 mg/L

Persistence and degradability:	No information available.
Other adverse effects:	No information available.

SECTION 13. DISPOSAL INFORMATION

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Dispose of article waste and packaging in a proper trash receptacle in accordance with local regulations.

SECTION 14. TRANSPORT INFORMATION

This article is not regulated per U.S. DOT, IATA or IMO.

Our General Terms of Sales are applicable on all offers, contracts and related agreements. Registered with number 723347389 at Chamber of Commerce on August 20th, 2018.



Industrieweg 18-9 3846 BD Harderwijk (NL)

Tel.: +31 - 341 - 41 49 93

www.spita.eu

VAT nr.: NL-8590.76.404.B01 Chamber of Commerce: 72334738 IBAN nr.: NL39 RABO 0332 4765 53



SECTION 15. REGULATORY INFORMATION:

INTERNATIONAL REGULATIONS

TSCA – United States Toxic Substances Control Act Section 8 (b) Inventory: DSL: All components are listed either on the DSL or NDSL

US FEDERAL REGULATIONS

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This article does not contain chemicals in a physical state that are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic health hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive hazard	No

CLEAN WATER ACT

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material as supplied does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

REACH

All information is in accordance with EU – regulations.

SECTION 16. OTHER INFORMATION

NFPA	Health hazards: 0	Flammability: 0	Instability: 0	Special hazards: None
HMIS	Health hazards: 1	Flammability: 0	Physical hazard: 0	Personal protection – X (see PPE)

DISCLAIMER OF LIABILITY:

This information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond your knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and it to be said only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

End of Material Data Safety Sheet

Our General Terms of Sales are applicable on all offers, contracts and related agreements. Registered with number 723347389 at Chamber of Commerce on August 20th, 2018.



Complies